

E14/L

Tipo :	E14/L	do: 14mm	
Type :			
Omologazione Homologation	PN	Coefficiente efflusso ridotto Low flow coefficient	Campo di taratura Setting range
E.D. 2014/68/EU IV Cat.(PED)	100	0,86	0,3 - 100,0 bar
EAC	100	0,86	0,3 - 100,0 bar
ATEX Ex II 2 G c	100	0,86	0,3 - 100,0 bar
ATEX Ex II 2 D c	100	0,86	0,3 - 100,0 bar
ASME VIII Div.1	100	0,629	1,0 - 80,0 bar
Canadian Reg. CRN	100	0,629	1,0 - 80,0 bar
CONFIGURAZIONE - CONFIGURATION			
Materiale Material	Ottone Brass	Mista Ottone-Acciaio inox Mixed Brass-Stainless steel	Acciaio inox Stainless steel
Modelli Model	Con ghiera <i>With ring nut</i> Senza Ghiera <i>Without ring nut</i> / / / / / / /	Con ghiera <i>With ring nut</i> Senza Ghiera <i>Without ring nut</i> / / / / / / /	Con ghiera <i>With ring nut</i> Senza Ghiera <i>Without ring nut</i> / / / / / / /
Sedi di Tenuta Seal System	N.B.R. (Std) -10 / + 100 °C E.P.D.M. -50 / + 150 °C VITON -20 / +200 °C SILICON -60 / +200 °C TEFLON -196 / +250 °C KALREZ -20 / +250 °C /	N.B.R. (Std) -10 / + 100 °C E.P.D.M. -50 / + 150 °C VITON -20 / +200 °C SILICON -60 / +200 °C TEFLON -196 / +250 °C KALREZ -20 / +250 °C Metal -196 / +250 °C	N.B.R. (Std) -10 / + 100 °C E.P.D.M. -50 / + 150 °C VITON -20 / +200 °C SILICON -60 / +200 °C TEFLON -196 / +250 °C KALREZ -20 / +275 °C Metal -196 / +450 °C
Connessione Entrata Inlet Connection	G.3/4" - 1" ISO228 R.3/4" - 1" EN10226 3/4" - 1" NPT DN25-32 PN16-100 1" - 1"1/4 150-900 lb / /	G.3/4" - 1" ISO228 R.3/4" - 1" EN10226 3/4" - 1" NPT 1" - 1"1/2 Tri Clamp DN25-32 DIN405-11851 DN25-32 PN16-100 1" - 1"1/4 150-900 lb	G.3/4" - 1" ISO228 R.3/4" - 1" EN10226 3/4" - 1" NPT 1" - 1"1/2 Tri Clamp DN25-32 DIN405-11851 DN25-32 PN16-100 1" - 1"1/4 150-900 lb
Connessione Uscita Outlet Connection	G.1"1/4 ISO228 DN32-40PN16-100 1"1/4 - 1"1/2 150-900 lb / / / /	G.1"1/4 ISO228 1"1/2 Tri Clamp DN32 DIN405-11851 DN32-40 PN16-100 1"1/4 - 1"1/2 150-900 lb / /	G.1"1/4 ISO228 1"1/2 Tri Clamp DN32 DIN405-11851 DN32-40 PN16-100 1"1/4 - 1"1/2 150-900 lb / /

A richiesta possono essere eseguiti collaudi dai più prestigiosi enti quali: **INAIL (area ISPESL)**,

TÜV, RINA, Bureau Veritas, ABS e Lloyd

On request tests can be made by the most prestigious societies, such as: INAIL (area ISPELS), TÜV, RINA, Bureau Veritas, ABS and Lloyd Register.

Note: