

E10/L150

Tipo : E10/L150

do: 10mm

Type :

Omologazione Homologation

PN

Coefficiente efflusso ridotto

Low flow coefficient

Campo di taratura Setting range

E.D. 2014/68/EU
IV Cat.(PED)

150

0,86

100,0 - 150,0 bar

EAC

150

0,86

100,0 - 150,0 bar

ATEX Ex II 2 G c

150

0,86

100,0 - 150,0 bar

ATEX Ex II 2 D c

150

0,86

100,0 - 150,0 bar

ASME VIII Div.1

/

/

/

Canadian Reg. CRN

/

/

/

CONFIGURAZIONE - CONFIGURATION

Materiale Material

**Ottone
Brass**

**Mista Ottone-Acciaio
inox
Mixed Brass-Stainless
steel**

**Acciaio inox
Stainless steel**

Modelli Model

Con ghiera
With ring nut
Senza Ghiera
Without ring nut

Con ghiera
With ring nut
Senza Ghiera
Without ring nut

Con ghiera
With ring nut
Senza Ghiera
Without ring nut

/

/

/

/

/

/

/

/

/

/

/

/

/

/

/

Sedi di Tenuta Seal System

N.B.R. (Std) -10 / + 100 °C

N.B.R. (Std) -10 / + 100 °C

N.B.R. (Std) -10 / + 100 °C

E.P.D.M. -50 / + 150 °C

E.P.D.M. -50 / + 150 °C

E.P.D.M. -50 / + 150 °C

VITON -20 / +200 °C

VITON -20 / +200 °C

VITON -20 / +200 °C

SILICONE -60 / +200 °C

SILICONE -60 / +200 °C

SILICONE -60 / +200 °C

TEFLON -196 / +250 °C

TEFLON -196 / +250 °C

TEFLON -196 / +250 °C

KALREZ -20 / +250 °C

KALREZ -20 / +250 °C

KALREZ -20 / +275 °C

/

Metal -196 / +250 °C

Metal -196 / +450 °C

Connessione Entrata Inlet Connection

G.3/4" - 1" - 1"1/4 ISO228

G.3/4" - 1" - 1"1/4 ISO228

G.3/4" - 1" - 1"1/4 ISO228

R.1/2" - 1" - 1"1/4

R.3/4" - 1" - 1"1/4

R.3/4" - 1" - 1"1/4

EN10226

EN10226

EN10226

1/2" - 1" - 1"1/4 NPT

3/4" - 1" - 1"1/4 NPT

3/4" - 1" - 1"1/4 NPT

DN20-25-32 PN16-160

1" - 1"1/2 Tri Clamp

1" - 1"1/2 Tri Clamp

3/4" - 1" - 1"1/4 150-1500

DN20-25 PN16-160

DN20-25 PN16-160

/

3/4" - 1" 150-1500 lb

3/4" - 1" 150-1500 lb

/

/

/

Connessione Uscita Outlet Connection

G.1"1/4 ISO228

G.1"1/4 ISO228

G.1"1/4 ISO228

DN32 PN16-160

1"1/2 Tri Clamp

1"1/2 Tri Clamp

1"1/4 150-1500 lb

DN32 PN16-160

DN32 PN16-160

/

1"1/4 150-1500 lb

1"1/4 150-1500 lb

/

/

/

/

/

/

/

/

/

A richiesta possono essere eseguiti collaudi dai più prestigiosi enti quali: INAIL (area ISPEL), TÜV, RINA, Bureau Veritas, ABS e Lloy

On request tests can be made by the most prestigious societies, such as: INAIL (area ISPELS), TÜV, RINA, Bureau Veritas, ABS and Lloyd Register.

Note: